



## ABSTRACT

A composition comprising the following components:  
 100 parts by weight of an organopolysiloxane (A),  
 0.1 to 30 parts by weight of a crosslinking agent (B),  
 5 50 to 1,000 parts by weight of a polyvinyl alcohol homopolymer or  
 copolymer (C),  
 0 to 5 parts by weight, as an active ingredient, of a catalyst (D),  
 100 to 100,000 parts by weight of water (E), and  
 0.1 to 100 parts by weight of a surfactant (F), wherein component  
 10 (A) is an organopolysiloxane (A3) having at least two alkenyl groups  
 and represented by the following formula (3):



wherein each  $R^1$  may be same or different and is a group having 1  
 to 20 carbon atoms selected from the group consisting of alkyl groups,  
 15 alicyclic groups, and aryl groups, whose hydrogen atoms bonded to  
 the carbon atoms may partly be replaced with a halogen atom or a cyano  
 group,  $R^2$  is an alkenyl group and  $X^3$  is the group represented by the  
 following formula:



20 wherein  $a3$ ,  $b3$ ,  $c3$ ,  $d3$  and  $e3$  are such numbers that the  
 organopolysiloxane (A3) has a viscosity at 25 degrees C of from 0.05

to 500 Pa·s, and  $b_3$ ,  $c_3$ ,  $d_3$  and  $e_3$  may be zero, and  $\alpha$  and  $\beta$  are integers of from 0 to 3 and

component (B) is an organohydrogenpolysiloxane (B3) having at least three SiH groups per molecule.